EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	85051	(evolv$4 chang$3 roll$3) near4 (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:19
L2	10694	(new$2 old$2) near3 key$1	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:38
L3	169725	(system$1 network$3 station$1 workstation$1 computer$1) near3 (record$3 log$3)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:19
L4	1551	l1 and l2 and l3	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:39
L5	1419	l4 and (compar$4 match$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:33
L6	13390	(system$1 network$3 station$1 workstation$1 computer$1) near6 (corrupt$4 uncorrupt$5 hack$4 malicious$2 attack$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:40
L7	323	l5 and l6	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:40
L9	72961	(new$2 old$2 previous$2) near4 (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9)	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:41
L10	18234	(eras$4 delet$4 trash$4) near4 (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:18
L11	323	l7 and l9	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:42
L12	165	l10 and l11	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:42
L13	47	l12 and administrat$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L14	17964	((713/1-2) or (713/153) or (713/154) or (713/168) or (713/171) or (713/179) or (713/182-184) or (713/187-189) or (713/194) or (726/2-4) or (726/17-18) or (726/21-27) or (726/30) or (726/34) or (709/223-225) or (380/1) or (380/201) or (380/228-229) or (380/239) or (380/255) or (380/259) or (380/37) or (380/42) or (380/277) or (380/282-286) or (380/28-30)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:53

L15	3559	l14 and l1	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:53
L16	773	l15 and l6	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L17	175	l16 and l10	USPAT; IBM_TDB	OR	OFF	2007/09/18 09:54
L18	76	l17 and administrat$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
L19	51	l18 and l3	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:08
L20	1581	(system$1 network$3 station$1 workstation$1 computer$1) near7 (record$3 log$3) near7 (evolv$4 chang$3 roll$3 modif$9 administrat$4) near5 (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9 key$1 secret$1 state action$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:11
L21	114	l20 and l10	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:32
L22	91	l21 and l1	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:32
L23	81	l22 and record$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:33
L24	71	l23 and (compar$4 match$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:41
L25	36	l24 and administrat$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
L26	5	l25 and l6	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:34
L27	79	l22 and (compar$4 match$4)	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:41
L28	9	l27 and hash$4	USPAT; IBM_TDB	OR	OFF	2007/09/18 10:42
L29	2	(system$1 network$3 station$1 workstation$1 computer$1) near7 (record$3 log$3) near7 (chang$3 roll$3 modif$9) near5 administ$9 near5 (state action$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:15
L30	834	(system$1 network$3 station$1 workstation$1 computer$1) near7 (record$3 log$3) near7 (chang$3 roll$3 modif$9) near5 (state action$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:14

L31	6	(system$1 network$3 station$1 workstation$1 computer$1) near7 (record$3 log$3) near7 (chang$3 roll$3 modif$9) near5 (state administ$9) near5 action$1	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:15
L32	9	(record$3 log$3) near7 (chang$3 roll$3 modif$9) near5 administ$9 near5 (state action$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:16
L33	6	l32 and ((eras$4 delet$4 trash$4) and (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:18
L34	3	l33 and ((evolv$4 chang$3 roll$3 new$2 old$2 previous$2) near4 (secret$1 code$1 pin password$1 encrypt$7 encod$4 mac key$1 encipher$9 cipher$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:21
L35	3	l33 and ((evolv$4 chang$3 roll$3 new$2 old$2 previous$2) near4 (secret$1 code$1 pin password$1 encrypt$7 key encod$4 mac key$1 encipher$9 cipher$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:22
L36	3	l33 and ((evolv$4 chang$3 roll$3 new$2 old$2 previous$2 modif$9) near4 (secret$1 code$1 pin password$1 encrypt$7 key encod$4 mac key$1 encipher$9 cipher$9))	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:22

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L38	34	l13 and hash$3	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:39
L39	428	(compar$7 verif$9 match$4) near8 (log$1 record$1 histor$3) near8 (administrat$4 manager$1)	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:40
L40	134	l39 and l1	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:40
L41	43	l40 and hash$5	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:40
L42	15	l41 and l10	USPAT; IBM_TDB	OR	OFF	2007/09/18 11:41